

Power Generation of Aeroleaf for Smart Cities

V. Umesh, J.Akash, K.Gopinav Krishna, S.Abhishek, J.Anusha, D.Prashanth,
N.Vinay Kumar, G.Sudhishna, K.Rathnajyoth, B.Vaishnavi

¹Lecturer of EEE Department, Government Polytechnic Bellampally, Mancherial, Telangana, India

²⁻¹⁰ Students of Government Polytechnic Bellampally, Mancherial, Telangana, India

Corresponding Author: V.UMESH

ABSTRACT

The Aeroleaf project is an innovative renewable energy solution that combines wind and solar power generation in a compact and efficient system. It is designed in the shape of a tree, where the leaf-like structures function as mini wind turbines while also integrating solar panels. This hybrid approach allows the system to generate electricity from both wind and sunlight, increasing overall energy efficiency and reliability.

The primary objective of the Aeroleaf system is to provide sustainable and eco-friendly energy for urban and semi-urban areas. It operates silently, requires minimal maintenance, and is aesthetically pleasing, making it suitable for public spaces, parks, and residential areas. The system works effectively even at low wind speeds and can store energy for later use.

This project demonstrates the potential of combining multiple renewable energy sources into a single structure to meet growing energy demands while reducing environmental impact. Aeroleaf represents a step toward green technology and smart energy solutions for the future.

Date of Submission: 24-05-2026

Date of acceptance: 02-06-2026

I. INTRODUCTION

The Aeroleaf project is an innovative renewable energy solution designed to generate electricity from wind in a compact and efficient way. Inspired by the natural movement of leaves, Aeroleaf uses small, leaf-shaped wind turbines that can capture energy even at low wind speeds. Unlike traditional wind turbines, which are large and require open spaces, Aeroleaf systems are specially developed for urban environments where space is limited and wind flow is irregular.

These turbines operate on a vertical axis, allowing them to rotate regardless of wind direction. Each leaf contains a small generator that converts mechanical energy from wind into electrical energy. The system is silent, safe for the environment, and visually appealing, making it suitable for installation in cities, parks, and residential areas.

The Aeroleaf is an innovative renewable energy technology designed to generate electricity from wind using small, leaf-shaped turbines. It is inspired by nature and is mainly used in urban environments where traditional wind turbines are not suitable. Due to increasing energy demanded environmental concerns, renewable energy sources like wind and solar have become essential. Aeroleaf technology is a modern solution aimed at producing clean, sustainable, and decentralized energy.

The purpose of this study, therefore, is to explore the functional viability of the Aeroleaf system as a decentralized energy solution. By analysing how vertical axis micro-turbines perform under low-speed, high-turbulence conditions, this research seeks to prove that we do not need massive open spaces to generate clean power. Instead, by harvesting the wind that already moves through our streets and over our roofs, we can move toward a truly sustainable and energy-independent urban future.



Fig 1.1 Structure of Aeroleaf

1.1. The Justification of Sustainable Aeroleaf.

The Aeroleaf wind energy system project is justified as a sustainable solution because it produces clean and renewable energy using wind, without emitting harmful gases or pollutants. In a time when conventional energy sources are causing environmental damage and climate change, Aeroleaf offers an eco-friendly alternative that helps reduce dependence on fossil fuels. Its ability to generate power even at low and irregular wind speeds makes it especially suitable for urban environments where traditional wind turbines are not effective.

Another important aspect of Aeroleaf is its compact and visually appealing design. The system is designed like a tree with leaf-shaped turbines, allowing it to blend naturally into surroundings such as parks, streets, and campuses. This not only improves aesthetic value but also increases public acceptance of renewable energy technologies. Unlike large wind turbines, Aeroleaf operates silently and does not disturb people or wildlife, making it ideal for installation in populated areas.

The project also supports decentralized energy generation, meaning electricity can be produced close to where it is consumed. This reduces transmission losses and increases energy efficiency. Additionally, Aeroleaf systems are built with durable materials and require less maintenance, which makes them cost-effective over time. By combining innovation, environmental protection, and practical usability, the Aeroleaf project contributes significantly to sustainable development and represents a forward-looking approach to meeting future energy needs.

II. MATERIAL AND METHODS

2.1 Aeroleaf Blades

The Aeroleaf project is an innovative approach to renewable energy generation that combines aesthetics with functionality. One of its most important components is the Aeroleaf blades, which are specially designed to harness wind energy efficiently. Unlike conventional wind turbines that use large propeller-style blades, Aeroleaf systems use compact, leaf-shaped blades that resemble natural foliage. This unique design not only improves performance in varying wind conditions but also enhances visual appeal.

Aeroleaf blades are designed in the shape of leaves, making them lightweight, compact, and highly responsive to wind. These blades are usually made from durable materials such as reinforced plastics or composites, which ensure long life and resistance to environmental conditions. Each blade is connected to a mini-generator, allowing it to rotate independently. This modular structure means that even if one blade is stationary, others can still generate electricity.




Fig 2.1 Aeroleaf Blades

2.2 Vertical Axis Shaft

The vertical axis shaft is a long, cylindrical rod positioned vertically at the center of the Aeroleaf structure. It is typically made from strong and lightweight materials such as steel or aluminum to ensure durability and efficient rotation.

2.3 Generator

Small generator that converts kinetic energy from wind into electrical energy. When wind flows over the leaf blades, it causes rotation, which drives a generator to produce electricity. The generated power can be stored in batteries or directly used for lighting, charging devices, or powering small appliances. Aeroleaf generators also support sustainability by reducing dependence on fossil fuels. They help in lowering carbon emissions and promote the use of renewable energy sources. Their modular design allows easy installation and maintenance, making them suitable for both small-scale and large-scale applications. Each Aeroleaf contains a small generator that converts kinetic energy from wind into electrical energy.

2.4 Battery

The battery acts as an energy storage unit in the Aeroleaf system. Since renewable energy sources like wind and sunlight are not constant, the battery stores excess energy generated during peak conditions and supplies it when energy production is low or unavailable. Firstly, the battery stores excess electrical energy produced by the Aeroleaf turbines when wind speed is high. Instead of wasting this energy, it is preserved for later use. Secondly, during periods of low or no wind, the stored energy in the battery is supplied to the load, ensuring continuous power availability. Additionally, the battery helps in stabilizing voltage and current, providing a steady output even when wind conditions.

It also improves the reliability of the system, making it suitable for applications like street lights, sensors, and small household devices. In many Aeroleaf setups, rechargeable batteries such as lithium-ion or leadacid batteries are used. These batteries are connected through a charge controller, which regulates charging and prevents overcharging or deep discharge, thereby increasing battery life.



Fig 2.4 Battery

2.5 Charge Controller

A charge controller is a crucial component in the Aeroleaf system. It regulates the flow of electrical energy from the energy sources (wind and solar) to the battery.

2.6 Solar Panel

Each Aeroleaf unit functions as a micro wind turbine while also capturing solar energy through integrated photovoltaic cells. This dual-energy capability allows the system to produce electricity even in low sunlight conditions or during nighttime when wind is present. Unlike traditional solar panels, which require large flat surfaces, Aeroleaf systems are compact and can be installed in small spaces such as parks, streets, rooftops, and gardens.

One of the main advantages of the Aeroleaf project is its eco-friendly and aesthetic design. The structure resembles a natural tree, blending well with the environment while generating clean energy. It operates silently and starts producing power even at low wind speeds, making it ideal for cities where conventional wind turbines are not practical. The Aeroleaf project contributes significantly to sustainable development by reducing dependence on fossil fuels and lowering carbon emissions. It also supports smart city initiatives by providing decentralized energy generation for lighting, charging stations, and small electrical devices.



Fig 2.6 solar panel

2.7 Support Structure

In our Aeroleaf project, we used plastic pipes as the main supporting structure. Plastic pipes are lightweight, cost-effective, and easily available materials, which makes them ideal for small-scale models and student projects. They also provide good durability and resistance to weather conditions, ensuring the structure remains stable during operation. The plastic pipes were used to create the main frame and branches of the Aeroleaf model. These pipes act as the backbone of the structure, holding the leaf turbines and electrical components in place. Because plastic is easy to cut and shape, it allowed us to design the structure according to our requirements without much difficulty. Using plastic pipes also reduced the overall weight of the model, making it portable and easy to install.

Additionally, the non-conductive nature of plastic ensures safety while handling electrical components.

2.8 Connecting Wires

The wiring in the Aeroleaf project is carefully designed to maintain efficiency and minimize power loss. It generally includes:

Connecting Wires: Copper wires are used due to their high conductivity. These wires connect the generators through the charge controller and battery.

Parallel Connections: Multiple leaf generators are often connected in parallel to increase total current output while maintaining voltage levels.

Insulated Cables: Proper insulation is used to prevent short circuits and ensure user safety.



Fig 2.8 Connecting Wires

2.9 Resistance

Resistors play a small but essential role in keeping the electrical system stable and safe. The aeroleaf setup usually combines energy from wind and solar sources, stores it in a battery, and controls it using circuits or a microcontroller. In this entire flow, resistors help regulate the amount of current passing through different components. Without them, excess current could damage sensitive parts like LEDs, sensors, or control boards.

Resistors are also used to divide voltage to suitable levels, especially when certain components require lower voltage than what the battery supplies. In sensor circuits, they help produce accurate and stable signals by maintaining proper voltage levels. When LEDs are used as indicators in the project, resistors control their brightness and prevent them from burning out. Overall, resistors ensure smooth operation by controlling current, protecting components, and maintaining proper voltage throughout the aeroleaf system.



Fig 2.9 Resistor

2.10 Diode

Diodes play a crucial role in ensuring proper functioning of the Aeroleaf system. Since the generator produces AC power, it must be converted into DC power for storage in batteries or for powering DC devices.



Fig 2.10 Diode

2.11 LED

LED (Light Emitting Diode) is commonly used as a load for demonstrating the output power. An LED is commonly used as the load in the Aeroleaf project. LEDs are highly energy-efficient, consume very low power, and operate effectively even with small amounts of electricity generated by the system. Unlike traditional bulbs, LEDs convert most of the electrical energy into light with minimal heat loss, making them.



Fig 2.11 LED

2.12 Working of Aeroleaf

The working principle of the Aeroleaf is based on the concept of wind energy conversion. When wind flows over the Aeroleaf structure, it causes the leaf-shaped blades to rotate. Each leaf contains a small generator inside it. As the leaves spin, mechanical energy is produced, which is then converted into electrical energy through electromagnetic induction. The Aeroleaf operates on the principle similar to that of a wind turbine, but with improved adaptability. It can capture wind from any direction due to its omnidirectional design. This makes it highly suitable for urban environments where wind patterns are irregular and turbulent. Even gentle breezes are sufficient to rotate the leaves, ensuring continuous energy production.

Another important aspect of its working is the integration of a control and storage system. The electricity generated by each leaf is transmitted through internal wiring to a central system, where it is regulated and stored in batteries or used directly. This ensures a stable power output despite fluctuations in wind speed. Additionally, the Aeroleaf system is designed to operate silently and safely. Its small moving parts reduce noise and minimize risk to birds and humans, making it environmentally friendly. The structure is often combined with solar panels to create a hybrid system that can generate power from both wind and sunlight.

When wind flows across the curved surfaces of the Aeroleaf blades, it creates aerodynamic forces that cause the blades to rotate. Unlike traditional horizontal-axis wind turbines, the Aeroleaf uses a vertical-axis mechanism, which enables continuous operation even at low wind speeds. The lightweight structure and low inertia of the blades ensure that the system starts rotating with minimal wind force and maintains smooth motion.




Fig 2.12 Overview of Installation

The rotational motion of the blades is transferred to a micro-generator located within the Aeroleaf structure. This generator typically consists of permanent magnets and coils. As the blades spin, the magnets rotate relative to the coils, inducing an electric current through the process of electromagnetic induction. This generated electrical energy is initially in the form of alternating current (AC). The system includes an internal electronic control unit that regulates and optimizes the generated power. It manages parameters such as voltage and current to ensure efficient energy conversion under varying wind conditions. The electrical output is then converted into a usable form, often direct current (DC), which can either be stored in batteries or supplied directly to electrical systems.

In many installations, multiple Aeroleaf units are arranged in a tree-like structure to increase the total energy output. Some advanced versions also incorporate solar panels, forming a hybrid system that generates electricity from both wind and sunlight. This combination enhances reliability and ensures continuous energy production even when wind availability is low.

IV. RESULTS

The result analysis of the Aeroleaf project focuses on evaluating its performance in converting wind energy into electrical energy under different operating conditions. The system demonstrates efficient operation, especially in low and moderate wind speeds, which are commonly found in urban environments. Due to its vertical-axis design, the Aeroleaf is capable of capturing wind from all directions, eliminating the need for orientation mechanisms and ensuring consistent energy generation.

During testing, it is observed that the Aeroleaf starts generating power at relatively low wind speeds, typically around 2–3 m/s. As wind speed increases, the rotational speed of the blades also increases, leading to higher electrical output. However, the output remains stable and controlled due to the presence of a charge controller and power conditioning unit, which regulate voltage and prevent system overload.

The electrical output obtained from the generator is successfully converted and stored in batteries, indicating effective energy storage capability. The inverter system provides a stable AC output, making the system suitable for powering small electrical loads such as lighting and low-power appliances. The efficiency of the system is enhanced by the low inertia of the blades, allowing quick response to changing wind conditions.

Another important observation is the silent operation of the Aeroleaf system. Unlike conventional wind turbines, it produces minimal noise and vibration, making it ideal for residential and urban applications. The compact and aesthetic design also allows easy installation without requiring large open spaces.

In hybrid configurations, where solar panels are integrated, the system shows improved reliability and continuous energy generation. Even when wind speed is low, solar energy contributes to maintaining power output, thereby increasing overall efficiency.

Overall, the results indicate that the Aeroleaf project is a reliable, efficient, and eco-friendly solution for small-scale power generation. It performs well in variable wind conditions, requires low maintenance, and provides sustainable energy suitable for modern applications.

The diagram represents the relationship between wind speed and power output of the Aeroleaf system. At low wind speeds, the power generated is small but not zero, showing that the system can operate even in weak

wind conditions. As wind speed increases, the power output rises steadily due to increased turbine rotation. At higher wind speeds, the output becomes more stable due to control mechanisms that regulate the system and protect it from overload.

system performs efficiently in high-traffic areas but produces limited output when vehicle movement is low. It also highlights technical challenges such as energy losses due to friction, inefficiencies in the generator, or suboptimal blade design. By understanding these limitations, necessary improvements can be suggested, such as optimizing blade angles, improving material selection, or enhancing the generator mechanism for better energy conversion.




Fig 3.1 Results Analysis

In addition, the analysis provides insights into the feasibility and scalability of the Aeroleaf project for real-world applications. It helps in determining whether the system is cost-effective, environmentally beneficial, and suitable for installation along highways or urban roads.

The data collected and analyzed also supports meaningful conclusions and strengthens the credibility of the project report. Overall, results analysis not only validates the performance of the Aeroleaf system but also serves as a foundation for future modifications, innovations, and implementation in sustainable energy generation.



Fig 3.2 Overview of Project

IV. DISCUSSION AND CONCLUSION

The Aeroleaf project is an innovative approach to small-scale wind energy generation, inspired by the natural movement of leaves in the wind. Unlike traditional wind turbines that rely on large rotating blades, Aeroleaf systems use compact, leaf-shaped structures that oscillate when wind flows through them. This design makes the technology quieter, safer, and more visually appealing, especially in urban and semi-urban environments where conventional turbines may not be practical.

At the core of the Aeroleaf system is the principle of converting kinetic energy from wind into electrical energy. When wind passes over the leaf-shaped blades, it creates vibrations or oscillations. These movements are captured using a generator mechanism—often based on electromagnetic induction—and converted into usable electrical power. This method allows energy generation even at low wind speeds, which is a significant advantage over traditional turbines that require higher wind velocities to operate efficiently.

One of the key discussion points of the Aeroleaf project is its sustainability and environmental friendliness. The system produces clean, renewable energy without emitting greenhouse gases or pollutants. Additionally, its compact and modular design enables easy installation in urban areas, rooftops, gardens, and roadside spaces. This decentralization of energy production reduces dependence on centralized power grids and supports the concept of smart cities.

Another important aspect is the aesthetic and functional integration of Aeroleaf units. These devices are often designed to resemble trees, blending seamlessly into landscapes. This not only enhances visual appeal but also increases public acceptance of renewable energy infrastructure. Compared to large wind turbines, Aeroleaf systems generate minimal noise and pose less risk to birds and wildlife.

However, the project also has certain limitations. The energy output of a single Aeroleaf unit is relatively low compared to large-scale wind turbines, making it more suitable for small-scale applications such as street lighting, charging stations, or supplementary household energy. The initial cost of installation and the complexity of the oscillation-based mechanism can also be challenges that need to be addressed for wider adoption.

In conclusion, the Aeroleaf project represents a creative and sustainable solution for harnessing wind energy in a more adaptable and environmentally friendly way. While it may not replace traditional wind turbines entirely, it offers a promising alternative for decentralized, low-impact energy generation, especially in urban settings.

4.1 Conclusion

The Aeroleaf project represents a modern and innovative approach to renewable energy generation, focusing on the efficient utilization of wind power in a compact and visually appealing form. Unlike conventional wind turbines that require high wind speeds and large open spaces, the Aeroleaf system is specifically designed to operate effectively in urban and semiurban environments where wind conditions are often low and turbulent. Its unique leaf-shaped vertical-axis design enables it to capture wind energy from all directions, ensuring continuous operation without the need for complex orientation mechanisms.

Throughout the project, it has been clearly demonstrated that the Aeroleaf system is capable of converting wind energy into electrical energy in a reliable and efficient manner. The integration of key components such as the micro-generator, rectifier, charge controller, battery storage, and inverter ensures proper energy conversion, regulation, and utilization. The system not only generates electricity but also maintains stability and safety through controlled voltage and current management.

One of the most significant outcomes of the Aeroleaf project is its ability to operate silently with minimal vibration, making it highly suitable for residential areas and public spaces. Its low maintenance requirements and environmentally friendly operation further enhance its practicality. Additionally, the aesthetic design of the Aeroleaf, often arranged in treelike structures, allows it to blend seamlessly into modern architectural and urban landscapes. The project also highlights the importance of hybrid energy solutions. By integrating solar panels with the Aeroleaf system, continuous power generation can be achieved even when wind conditions are not favorable. This hybrid approach increases overall efficiency, reliability, and energy availability, making the system more versatile and dependable.

From an environmental perspective, the Aeroleaf project contributes significantly to reducing carbon emissions and dependence on fossil fuels. It promotes the use of clean and sustainable energy sources, aligning with global efforts to combat climate change and achieve energy sustainability. Economically, it offers a cost-effective solution for small-scale power generation, especially in areas where conventional energy infrastructure is limited or expensive. In conclusion, the Aeroleaf project successfully demonstrates the potential of innovative wind energy technologies in addressing modern energy challenges. It combines efficiency, sustainability, aesthetic design, and technological advancement into a single system. With further development and large-scale implementation, the Aeroleaf has the potential to become an important component of future smart energy systems, contributing to a greener and more sustainable world.

REFERENCES

- [1]. Hosseinian, S.M., Mohseni, M., & Karimi, M.S. Advanced blade profiles for improved efficiency in Savonius wind turbines: the Aeroleaf case study. *Scientific Reports*, 16, 1022.
- [2]. Rathore, M.K., Agrawal, M., Baredar. Fabrication and Performance Analysis of the Aero-Leaf Savonius Wind Turbine Tree. *Energies*, 16(7), 3015.
- [3]. Yadav, S., Mishra. Aero Leaf Wind Turbine Tree for Electricity Generation. *IJSDR*, Vol. 7, Issue 4, pp. 173–179.
- [4]. Karimi, Hosseinian, & Mohseni, M. Performance comparison of Aeroleaf and conventional Savonius turbines. *Scientific Reports*.
- [5]. Manwell, J.F., McGowan, J.G., & Rogers, A.L. *Wind Energy Explained: Theory, Design and Application*. Wiley.
- [6]. Burton, T., Sharpe, D., Jenkins, N., & Bossanyi, E. *Wind Energy Handbook*. Wiley.
- [7]. Hau, E. *Wind Turbines: Fundamentals, Technologies, Application, Economics*. Springer.
- [8]. Twidell, J., & Weir, T. *Renewable Energy Resources*. Routledge.
- [9]. New World Wind . Wind Tree Technology Overview.

[10]. Available at: <https://www.newworldwind.com>

BIBLIOGRAPHY

1. New World Wind. (2022). Wind Tree Technology Overview.
Available at: <https://www.newworldwind.com>
2. International Energy Agency (2023). Global Wind Energy Outlook.
Available at: <https://www.iea.org>
3. U.S. Department of Energy (2022). Distributed Wind Energy Systems.
Available at: <https://www.energy.gov>
4. Global Wind Energy Council (2023). Global Wind Report.
Available at: <https://gwec.net>
5. Ministry of New and Renewable Energy (2023). Wind Energy in India.
Available at: <https://mnre.gov.in>
6. NASA (2021). Basics of Wind Energy and Aerodynamics.
Available at: <https://www.nasa.gov>
7. Encyclopaedia Britannica (2022). Wind Turbine – Types and Working Principle.
Available at: <https://www.britannica.com>
8. MDPI. (2023). Aero Leaf Wind Turbine Tree Study.
Available at: <https://www.mdpi.com>